

WISCONSIN ENDANGERED RESOURCES REPORT NO. 87

Wisconsin Herpetology: A Bibliographical Update
with Taxonomic, Subject, and Geographic Indices

By Dreux J. Watermolen

SUMMARY

This bibliography is intended to update Wisconsin Endangered Resources Report 28 which was published in 1987. It was prepared to assist the research efforts of Wisconsin herpetologists and resource educators.

The bibliography includes 144 technical and popular references that deal with aspects of Wisconsin's native amphibian and reptile species. Some items refer to physiological, taxonomical or other studies in which Wisconsin specimens were used. Entries are alphabetical by author and numbered sequentially. The indices following the bibliography provide cross-reference by subject, taxonomic group and geographic locality (county) and direct the user to specific works by their numeric code.

Copies of many of the references are maintained by the author and the Bureau of Endangered Resources. Missed and future citations are appreciated by the author for possible report updates.

BUREAU OF ENDANGERED RESOURCES
Wisconsin Department of Natural Resources
P.O. Box 7921
Madison, Wisconsin 53707
608-266-7012

September 1992

NOTE: Due to budget constraints only a limited number of these reports are printed. The material is not copyrighted, so if you need additional copies, please have photocopies. Thank you.



Wisconsin Herpetology: A Bibliographical Update with Taxonomic, Subject, and Geographic Indices

Dreux J. Watermolen
Wisconsin Herpetological Working Group
P.O. Box 10443
Green Bay, WI 54307

Introduction

Blutkowski, et. al. first published a comprehensive bibliography of Wisconsin herpetology in early 1987. That bibliography was a first step in determining needs for herpetological inventory, research, management, and public information in Wisconsin. It was produced to help guide the activities of the Wisconsin Herpetological Working Group.

Since the publication of the work of Blutkowski and her colleagues many articles and notes regarding Wisconsin's herpetofauna have appeared in print. Additionally, a number of older works have since been identified. This bibliography is intended to update the former work. It includes 144 technical and popular references that deal with all aspects of Wisconsin's amphibian and reptile species.

Taxonomic, subject and geographic indices are included with this bibliography to facilitate access to the literature. Bibliographical entries are listed alphabetically by author and numbered consecutively. Entry numbers are listed under appropriate index categories.

Copies of most of the references are maintained by the author and by the Wisconsin Bureau of Endangered Resources.

Acknowledgements

Members of the Wisconsin Herpetological Working Group provided several of the references contained in the bibliography. I am especially appreciative of the assistance provided by P.A. Cochran and D.A. Ross.

M. O'Callaghan (Interlibrary Loan Librarian, St. Norbert College) and L. Hemming (Assoc. Academic Librarian, University of Wisconsin - Green Bay) were instrumental in obtaining copies of many of the articles.

Bibliography

1. Anonymous. 1940. Snake protection. Wisconsin Conserv. Bull. 5(8):53-54.
2. _____. 1989. First aid for snake bites. (Pamphlet) LaCrosse Lutheran Hospital Trauma and Emergency Center, LaCrosse.
3. _____. (n.d.). Snakes of Milwaukee County. (Pamphlet) Milwaukee Publ. Mus., Milwaukee.
4. _____. (n.d.). Reptiles and amphibians: what are they? Informational Brochure No. 1. Wisconsin Herpetol. Soc., Madison.
5. Atwood, W.H. 1918. The visceral anatomy of the garter snake. Trans. Wisconsin Acad. Sci. Arts and Lett. 19:531-552.
6. Bishop, S.C. 1941. Notes on salamanders, with descriptions of several new forms. Occ. Papers Mus. Zool. Univ. Michigan (451):1-27.
7. Blegen, D. 1986. Are snakes the pits? Wisconsin Natur. Resour. 10(4):24-30.
8. Brewster, C. and K. Brewster. 1991. (Abstract) Status and conservation of Wisconsin's wood turtles (Clemmys insculpta). Book of Abstracts. The Conservation of Wisconsin's Cold-blooded Animals Symposium. March 9, 1991. Wisconsin Dept. Natur. Resour., Madison.
9. Brewster, K.N. and C.M. Brewster. 1988. Notes on courtship and aggression in the wood turtle, Clemmys insculpta. Bull. Chicago Herpetol. Soc. 23(9):144.
10. _____ and _____. 1991. Movement and microhabitat use by juvenile wood turtles introduced into a riparian habitat. J. Herpetol. 25(3):379-382.
11. Brynildson, E.R. 1988. Restoring the fountain of John Muir's youth. Wisconsin Acad. Rev. 35(1):4-10. (mentions extirpation of bullfrog and eastern hognose snake from a site in Marquette Cty.).
12. Burt, C.E. 1932. Records of amphibians from the eastern and central United States (1931). American Midl. Natur. 13:75-85.
13. Cahn, A.R. 1915. An ecological survey of the Wingra Springs region. Bull. Wisconsin Natur. Hist. Soc. 13:123-177.
14. _____ and W. Shumway. 1926. Color variations in larvae of Necturus maculosus. Copeia 151:106-107.
15. Casper, G.S. 1983. Wisconsin rattlesnake bounty barely defeated. Minnesota Herpetol. Soc. News1. 3(11):11-12.
16. _____. 1986. Wisconsin herpetological atlas project. Passenger Pigeon 48(4):183.
17. _____. 1987. New herpetological records for Wisconsin, USA. Bull. Chicago Herpetol. Soc. 22(5):95. (Note errata 22(6-7):127).
18. _____. 1987. Herpetological surveys in southeastern Wisconsin. Bull. Chicago Herpetol. Soc. 22(8):132.
19. _____. 1987. Watching amphibians and reptiles. Wisconsin Natur. Resour. 11(6):12.
20. _____. 1991. (Abstract) The Wisconsin Herpetological Atlas Project. Book of Abstracts. The Conservation of Wisconsin's Cold-blooded Animals Symposium. March 9, 1991. Wisconsin Dept. Natur. Resour., Madison.
21. Cochran, P.A. 1987. Life history note: Opheodrys vernalis. Behavior. SSAR Herpetol. Rev. 18(2):36-37.

22. _____. 1988. Geographic distribution: Hyla crucifer. SSAR Herpetol. Rev. 19(1):16 (Florence Cty.).
23. _____. 1988. Geographic distribution: Hyla versicolor. SSAR Herpetol. Rev. 19(1):16 (Florence Cty.).
24. _____. 1988. Geographic distribution: Elaphe vulpina. SSAR Herpetol. Rev. 19(1):20 (Marinette & Outagamie Ctns.).
25. _____. 1988. Geographic Distribution: Chrysemys picta. SSAR Herpetol. Rev. 19(1):21 (Florence Cty.).
26. _____. 1988. Geographic distribution: Clemmys insculpta. SSAR Herpetol. Rev. 19(1):21 (Florence Cty.).
27. _____. 1988. The herpetofaunas of Pheasant Branch and Waunakee Marshes, Dane County, Wisconsin, with a comparison to the intervening agricultural area. Bull. Chicago Herpetol. Soc. 23(5):69-71.
28. _____. 1989. Confirmation of the five-lined skink (Eumeces fasciatus) in northeastern Wisconsin. Bull. Chicago Herpetol. Soc. 24(3):30-31.
29. _____. 1989. Notes on the phenology of the chorus frog, Pseudacris triseriata, in DuPage County, Illinois. Bull. Chicago Herpetol. Soc. 24(5):89-90.
30. _____. 1990. Geographic distribution: Elaphe vulpina. SSAR Herpetol. Rev. 21(2):41. (Manitowoc Cty.)
31. _____. 1991. Geographic distribution: Apalone spinifera. SSAR Herpetol. Rev. 22(2):64. (Brown Cty.)
32. _____. 1991. Some dietary records for the mudpuppy (Necturus maculosus), with comments on field techniques. Bull. Chicago Herpetol. Soc. 26(10):221-223.
33. _____ and K.J. Knutson. 1987. Geographic distribution: Hyla crucifer. SSAR Herpetol. Rev. 18(3):55 (Brown Cty.).
34. _____ and R.M. Korb. 1987. Recent sightings of the Blanding's turtle, Emydoidea blandingii, a threatened species, in Wisconsin. Bull. Chicago Herpetol. Soc. 22(9):145-147 (Note errata 22:201).
35. _____ and J.D. Lyons. 1990. Geographic distribution: Necturus maculosus. SSAR Herpetol. Rev. 21(2):37. (Columbia Cty.)
36. _____ and J. Marks. 1990. Geographic distribution: Chelydra serpentina. SSAR Herpetol. Rev. 21(2):38. (Manitowoc Cty.)
37. Conant, R. and J.T. Collins. 1991. A Field Guide to Reptiles and Amphibians of Eastern and Central North America, 3rd. ed. Houghton Mifflin, Boston. 450 p.
38. Costanzo, J.P. 1986. Influences of hibernaculum microenvironment on the winter life history of the garter snake (Thamnophis sirtalis). Ohio J. Sci. 86:199-204.
39. _____. 1988. Recovery from ice-entombment in garter snakes. SSAR Herpetol. Rev. 19(4):76-77.
40. _____. 1989. A physiological basis for prolonged submergence in hibernating garter snakes Thamnophis sirtalis: evidence for an energy sparing adaptation. Physiol. Zool. 62(2):580-592.
41. _____. 1989. Conspecific scent trailing by garter snakes (Thamnophis sirtalis) during autumn: further evidence for use of pheromones in den locations. J. Chem. Ecol. 15(11):2531-
42. _____. 1989. Effects of humidity, temperature, and submergence behavior and energy use in hibernating garter snakes, Thamnophis sirtalis. Can. J. Zool. 67:2486-2492.

43. _____, D.L. Claussen and R.E. Lee, Jr. 1988. Natural freeze tolerance in a reptile. *Cryoletters* 9:380-385.
44. Czajka, A.F. and M.A. Nickerson. 1974. State regulations for collecting reptiles and amphibians. Milwaukee Publ. Mus. Spec. Pub. Biol. Geol. No. 1. Milwaukee Public Museum, Milwaukee.
45. Dames and Moore. 1981. A survey of the distribution and abundance of spotted salamanders in a portion of northern Wisconsin. Report for Exxon Mineral Company, Rhinelander.
46. DeGiusti, D.L. and P.J. Batten. 1951. Notes on Haemoproteus metchnikovi in turtles from Wisconsin, Michigan and Louisiana. *J. Parasitol.* 37(Suppl.):12.
47. Dlutkowski, L.A., P.A. Cochran and M.J. Mossman. 1987. Bibliography of Wisconsin herpetology. *Wisconsin Endang. Resour. Rept.* (28). Wisconsin Dept. Natur. Resour., Madison.
48. Doroff, A.M. and L.B. Keith. 1990. Demography and ecology of an ornate box turtle population in south-central Wisconsin. *Copeia* 1990(2):387-389.
49. Drought, J.F. 1987. Geographic distribution: Notophthalmus viridescens louisianensis. *SSAR Herpetol. Rev.* 18(1):17 & 20. (Waukesha Cty.).
50. _____. 1987. Geographic distribution: Chrysemys picta marginata. *SSAR Herpetol. Rev.* 18(1):21. (Milwaukee Cty.).
51. _____. 1987. Geographic distribution: Trionyx spiniferus spiniferus. *SSAR Herpetol. Rev.* 18(1):21. (Milwaukee Cty.).
52. _____. 1987. Geographic distribution: Nerodia sipedon sipedon. *SSAR Herpetol. Rev.* 18(2):41. (Milwaukee Cty.).
53. _____. 1988. A dry corner of dairyland. *Wisconsin Natur. Resour.* 12(3):8-10.
54. Ela, K. 1987. A contribution to the phenology of western Racine County. *Wisconsin Phenol. Soc. News.* (Fall):2-4.
55. Ellner, L. 1991. (Abstract) Population and thermal biology of ornate box turtles in Wisconsin. Book of Abstracts. The Conservation of Wisconsin's Cold-blooded Animals Symposium. March 9, 1991. Wisconsin Dept. Natur. Resour., Madison.
56. Errington, P.L. 1932. Food habits of southern Wisconsin raptors. Part 1. Owls. *Condor* 34:176-180.
57. Feeney, W.S. 1941. Forest field notes. *Wisconsin Conserv. Bull.* 6(12):4-5.
58. Hamerstrom, F. and O. Mattson. 1939. Food of central Wisconsin horned owls. *American Midl. Natur.* 22:700-702.
59. Harding, J.H. 1983. Natural history of amphibians and reptiles of Wisconsin, by R.C. Vogt. (Book review). *SSAR Herpetol. Rev.* 14():49-50.
60. Hartman, W.L. 1958. Intergradation between two subspecies of painted turtle, genus Chrysemys. *Copeia* 1958:261-265.
61. Hein, E.N. 1941. Wildlife history. *Wisconsin Conserv. Bull.* 6(12):13-16.
62. Hennepin, L. 1968. A new discovery. Parts I & II. Bentley, et. al., London: Reprinted 1903. A.C. McClurg and Co., Chicago.

63. Hillis, D.M. 1988. Systematics of the Rana pipiens complex: puzzle and paradigm. Ann. Rev. Ecol. Syst. 19:39-63.
64. Hope, L. 1941. The life of a frog. Wisconsin Conserv. Bull. 6(2): 46-48.
65. Hoy, P.R. 1855. On the Amblystoma luridum, a salamander inhabiting Wisconsin. 9th. Annual Rept. Smithsonian Inst. p. 295.
66. _____. 1874. Some of the peculiarities of the fauna near Racine. Trans. Wisconsin Acad. Sci. Arts and Lett. 2:120-122.
67. Hutchison, V.H. and D.J. Erskine. 1981. Thermal selection and prostaglandin El Fever in the salamander Necturus maculosus. Herpetologica 37:195-198.
68. Hutchison, V.H. and J.P. Ritchart. 1989. Annual cycle of thermal tolerance in the salamander Necturus maculosus. J. Herpetol. 23(1): 73-76.
69. Hutchison, V.H. and K.A. Spriestersbach. 1986. Histamine and histamine receptors: behavioral thermoregulation in the salamander Necturus maculosus. Comp. Biochem. Physiol. 85C:199-206.
70. Illichman, H. 1985. A contribution to the phenology of Langlade County. Wisconsin Phenol. Soc. News. (Fall):2-3.
71. Judge, E.M. 1986. The western diamond-back rattler in Wisconsin. Wisconsin Natur. Resour. 10(4):30-31. (Reprinted in Wisconsin Herpetol. Soc. News. 1988. (July):3-4.).
72. Kaufmann, J.H. 1989. The wood turtle stomp. Natur. Hist. (August):8,10,12-13.
73. _____, J.H. Harding and K.N. Brewster. 1989. Worm stomping by wood turtles revisited. Bull. Chicago Herpetol. Soc. 24(7):125-126.
74. Keenlyne, K.D. and J.R. Beer. 1973. Note on the size of Sistrurus catenatus at birth. J. Herpetol. 7:381-382.
75. _____ and _____. 1973. Food habits of Sistrurus catenatus catenatus. J. Herpetol. 7:382-384.
76. Knudsen, G.J. 1991. (Abstract) The decline in Wisconsin's amphibian populations. Book of Abstracts. The Conservation of Wisconsin's Cold-blooded Animals Symposium. March 9, 1991. Wisconsin Dept. Natur. Resour., Madison.
77. Korb, R.M. 1988. Geographic distribution: Heterodon platyrhinos. SSAR Herpetol. Rev. 19(1):20. (Waupaca Cty.).
78. _____. 1988. Geographic distribution: Emydoidea blandingii. SSAR Herpetol. Rev. 19(1):21. (Shawano Cty.).
79. _____. 1989. Voices in the night: places to hear frogs and toads in Brown County. Published by the author.
80. Kutka, F.J. 1988. Habitat acidification hazard to amphibians breeding in woodland ponds in northern Wisconsin. M.S. thesis, Iowa St. Univ., Ames, IA.
81. Lagler, K.F. 1940. A turtle loss? Wisconsin Conserv. Bull. 5(12):29-31. (Reprinted from American Wildlife Jan/Feb, 1940.).
82. Lawson, R. 1987. Molecular studies of thamnophiine snakes: 1. The phylogeny of the genus Nerodia. J. Herpetol. 21(2):140-157.

83. Leclair, R. Jr. and J. Castanet. 1987. A skeletochronological assessment of age and growth in the frog Rana pipiens Schreber (Amphibia, Anura) from southwestern Quebec. *Copeia* 1987:361-369.
84. Lien, R. 1988. Amphibians of Wisconsin aquatic environments. Report for Wisconsin Dept. Natur. Resour.
85. Long, C.A. and C.A. Long. 1976. Some amphibians and reptiles collected on Islands in Green Bay, Lake Michigan. *Jack-Pine Warbler* 54:54-58.
86. _____, J.E. Long and C.A. Long. 1987. A listing of known amphibians and reptiles from Washington Island, Lake Michigan with new records of the milk snake and the red-bellied snake. *Jack-Pine Warbler* 65:39.
87. Long, J. and C.A. Long. 1986. Two amphibians new to Washington Island, Lake Michigan. *Jack-Pine Warbler* 64:22.
88. Lowcock, L.A. and J.P. Bogart. 1989. Electrophoretic evidence for multiple origins of triploid forms in the Ambystoma laterale - jeffersonianum complex. *Can. J. Zool.* 67:350-356.
89. Matteson, S. 1987. Predators threaten recovery efforts. *The Niche* (Newsletter of the Wisconsin Bureau of Endangered Resources) 2(2):4-5.
90. McFarland, M. and R. Bishop. 1990. Geographic distribution: Rana catesbeiana. *SSAR Herpetol. Rev.* 21(1): 22. (Brown Cty.)
91. Menzel, B.W. and K.E. Goellner. 1976. Occurrence of the blue-spotted salamander, Ambystoma laterale, in Iowa. *Proc. Iowa Acad. Sci.* 82(3-4):182-186.
92. Mierzwa, K.S. 1988. News from Wisconsin DNR (in Legislative Update & Conservation Notes). *Bull. Chicago Herpetol. Soc.* 23(1):16.
93. _____. 1988. More on the Wisconsin captive wildlife law (in Legislative Update & Conservation Notes). *Bull. Chicago Herpetol. Soc.* 23(4):64.
94. _____. 1989. The problems of protecting salamanders (in Legislative Update & Conservation Notes). *Bull. Chicago Herpetol. Soc.* 24(4):82.
95. Mossman, M.J., J.J. Huff and R.L. Hine. 1991. (Abstract) Population trends identified by the Wisconsin Frog and Toad Survey, 1984-90. Book of Abstracts. The Conservation of Wisconsin's Cold-blooded Animals Symposium. March 9, 1991. Wisconsin Dept. Natur. Resour., Madison.
96. Oldfield, B. 1991. (Abstract) The natural history and distribution of the timber rattlesnake along the Mississippi River in western Wisconsin. Book of Abstracts. The Conservation of Wisconsin's Cold-blooded Animals Symposium. March 9, 1991. Wisconsin Dept. Natur. Resour., Madison.
97. _____ and D.E. Keyler. 1989. Survey of timber rattlesnake (Crotalus horridus) distribution along the Mississippi river in western Wisconsin. *Trans. Wisconsin Acad. Sci. Arts & Lett.* 77:27-34.
98. Outagamie Nature Studies, Inc. 1975. Mosquito Hill Nature Center trail guide. Outagamie County Board of Supervisors, Appleton.
99. Parejko, K. 1987. A phenological study of aquatic ecosystems. *Wisconsin Phenol. Soc. Newslet.* (Spring):6-7.
100. Pearse, A.S., S. Lepkovsky and L. Hintze. 1925. The growth and chemical composition of 3 species of turtles fed on rations of pure foods. *J. Morph. & Physiol.* 41:191-216.
101. Pierce, P.E. and D.A. Ross. 1989. Bald eagles prey on snakes. *Passenger Pigeon* 51(2):155-156.

102. Pistorius, A. 1987. Slender in the grass. Wisconsin Trails 28(3): 22-26.
103. Platz, J.E. and D.C. Forester. 1988. Geographic variation in mating call among the four subspecies of the chorus frog: Pseudacris triseriata (Wied). Copeia 1988:1062-1066.
104. Redmer, M. 1987. Cannibalism in captive Hyla crucifer. Bull. Chicago Herpetol. Soc. 22(4):75.
105. Reed, D.M. and R.E. Lang. 1991. Geographic distribution: Pseudacris crucifer crucifer. SSAR Herpetol. Rev. 22(3):102. (Waukesha Cty.).
106. Reed, M. and J.R. Hodgson. 1987. Geographic distribution: Necturus maculosus. SSAR Herpetol. Rev. 18(2):39. (Brown Cty.).
107. Ross, D.A. 1986. Characteristics of a population of Blanding's and painted turtles in central Wisconsin. Unpublished report to Wisconsin River Power Co. and Wisconsin Bureau of Endangered Resources.
108. _____. 1987. Blanding's turtle: not many left in Wisconsin. Wisconsin Natur. Resour. 11(4):7-10. (reprinted in Wisconsin Herpetol. Soc. News., 1988. (January):12-13).
109. _____. 1988. Life history note: Chrysemys picta. Predation. SSAR Herpetol. Rev. 19(4):85 & 87.
110. _____. 1989. Population ecology of painted and Blanding's turtles (Chrysemys picta and Emydoidea blandingi) in Central Wisconsin. Trans. Wisconsin Acad. Sci. Arts and Letters 77:77-84.
111. _____. 1989. Amphibians and reptiles in the diets of North American raptors. Endang. Resour. Rept. (59). Wisconsin Dept. Natur. Resour., Madison.
112. _____. 1990. The five-lined skink (Eumeces fasciatus), Wisconsin's "red-headed scorpion". Wisconsin Herpetol. Soc. News. (January):4.
113. _____ and R.K. Anderson. 1990. Habitat use, movements, and nesting of Emydoidea blandingi in central Wisconsin. J. Herpetol. 24(1):6-12.
114. Sandburg, E.H. 1968. A study of Dunn's Marsh near Madison. Passenger Pigeon 30(2):79-83.
115. Sever, D.M. 1987. Hemidactylum scutatum and the phylogeny of cloacal anatomy in female salamanders. Herpetologica 43:105-116.
116. Sheldon, A.B. 1991. The turtles of Wisconsin. Wisconsin Outdoor J. 5(2):53-56.
117. Smith, B.G. 1911. The nests and larvae of Necturus. Biol. Bull. 20:191-200. (reference to Lake Manona)
118. _____. 1911. Notes on the natural history of Ambystoma jeffersonianum, A. punctatum and A. tigrinum. Bull. Wisconsin Natur. Hist. Soc. 9(1-2):14-27.
119. Sobota, M. 1990. Geographic distribution: Elaphe vulpina. SSAR Herpetol. Rev. 21(1):23. (Calumet Cty.).
120. _____. 1990. Geographic distribution: Thamnophis sirtalis. SSAR Herpetol. Rev. 21(1):24. (Calumet Cty.).
121. _____. 1990. Geographic distribution: Chrysemys picta. SSAR Herpetol. Rev. 21(1):24. (Calumet Cty.).
122. Somma, L.A. and P.A. Cochran. 1989. A bibliography and subject index of the prairie skink Eumeces septentrionalis (Baird) (Sauria: Scincidae). Great Basin Natur. 49(4):525-534.

123. Stull, O.G. 1940. Variations on relationships in the snakes of the genus Pituophis. U.S. Natl. Mus. Bull. 175:1-255.
124. Szanderek, S.S. 1982. Spring's footsteps. Wisconsin Phenol. Soc. News. (Spring):5-6.
125. Tyning, T.F. 1990. A Guide to Amphibians and Reptiles. Little, Brown & Co., Boston. 400 p. (Includes accounts of several species found in Wisconsin)
126. Watermolen, D.J. 1986. Snakes in Wisconsin. (Pamphlet: PUBL-PR-635 89) Wisconsin Dept. Natur. Resour., Madison.
127. _____. 1989. Reptiles and amphibians found in Door County state parks. Wisconsin Dept. Natur. Resour., Madison.
128. _____. 1990. Geographic distribution: Chelydra serpentina. SSAR Herpetol. Rev. 21(1):24. (Kewaunee Cty.).
129. _____. 1990. Geographic distribution: Chrysemys picta. SSAR Herpetol. Rev. 21(1):26. (Manitowoc Cty. & Door Cty.).
130. _____. 1990. Geographic distribution: Chelydra serpentina. SSAR Herpetol. Rev. 21(2):38. (Door Cty.).
131. _____. 1990. Geographic distribution: Storeria occipitomaculata. SSAR Herpetol. Rev. 21(2):42. (Waushara Cty.).
132. _____. 1991. Geographic distribution: Rana sylvatica. SSAR Herpetol. Rev. 22(1):24. (Kewaunee Cty.).
133. _____. 1991. Life history notes: Storeria occipitomaculata occipitomaculata (Behavior). SSAR Herpetol. Rev. 22(2):64
134. Welch, R.J. 1987. Food habits of the red-shouldered hawk in Wisconsin. Passenger Pigeon 49(2):81-92.
135. _____. 1990. (Abstract) Population characteristics, habitat use, and behavior of wood turtles (Clemmys insculpta) in central Wisconsin. Wisconsin Acad. Sci., Arts, & Letts. Conf. Proc. (April 21, 1990):14.
136. _____. R.P. Thiel and J.M. Welch. 1989. Wood turtle population ecology, Waupaca study area, Wisconsin, 1988 annual report. EnvirlnTAC, Waupaca, WI.
137. Wisconsin Department of Natural Resources. 1990. Annual Report of the Bureau of Endangered Resources 1989. Wisconsin Endang. Resour. Rept. (67). Wisconsin Dept. Natur. Resour., Madison.
138. Zweifel, R.G. 1989. Long-term ecological studies on a population of painted turtles, Chrysemys picta, on Long Island, New York. American Mus. Novitates (2952):1-55.

ADDENDUM

139. Eiffert, V.S. 1963. Journeys in Green Places: the Shores and Woods of Wisconsin's Door Peninsula. Wm. Caxton Ltd., Sister Bay, WI.
140. Gonzalez, F.M.G. 1991. Prey of breeding American kestrels in central Wisconsin during 1991. Passenger Pigeon 53(3):219-222.
141. Kutka, F.J. and M.D. Bachman. 1990. Acid sensitivity and water chemistry correlates of amphibian breeding ponds in northern Wisconsin, USA. Hydrobiol. 208:153-160.
142. Lukes, R. 1988. The Ridges Sanctuary, Its History, Geology, Plants, and Animals. The Ridges Sanctuary, Baileys Harbor. 322 p.

143. McDonald, K.G. 1989. Characteristics of amphibian breeding habitat in northern Wisconsin forests. M.S. thesis, Univ. Wisconsin-Green Bay, Green Bay.
144. Ross, D.A., K.N. Brewster, R.K. Anderson, N. Ratner and C.M. Brewster. 1991. Aspects of the ecology of wood turtles, Clemmys insculpta, in Wisconsin. Canadian Field-Natur. 105(3):363-367.

Taxonomic Index

This index lists the genera of Wisconsin's 55 amphibian and reptile species and provides numerical cross-references to works listed in the bibliography.

Salamanders

Ambystoma: 17, 18, 19, 27, 28, 37, 45, 65, 76, 80, 84, 85, 88, 91, 94, 114, 118, 125, 134, 141, 142, 143

Notophthalmus: 37, 49, 84, 141, 143

Hemidactylum: 37, 84, 115

Plethodon: 37, 85, 86, 115, 125, 127, 142

Necturus: 6, 12, 13, 14, 32, 35, 37, 67, 68, 69, 84, 86, 106, 117, 125, 127

Frogs and Toads

Bufo: 13, 27, 37, 54, 76, 79, 84, 85, 86, 87, 99, 111, 114, 125, 127, 134, 141, 142, 143

Acris: 13, 18, 37, 76, 84, 114

Pseudacris: 13, 27, 29, 37, 54, 70, 79, 84, 103, 105, 114, 124, 141

Hyla: 13, 22, 23, 33, 37, 53, 79, 84, 85, 86, 87, 104, 114, 125, 127, 141, 142, 143

Rana: 11, 12, 13, 27, 28, 37, 44, 53, 57, 58, 64, 76, 79, 83, 84, 85, 86, 90, 111, 114, 125, 127, 132, 134, 139, 141, 142, 143

Turtles

Chelydra: 13, 17, 19, 27, 36, 37, 44, 53, 62, 81, 85, 86, 89, 109, 114, 125, 127, 128, 130, 142

Sternotherus: 17, 37, 53, 81, 125

Clemmys: 8, 9, 10, 19, 26, 37, 44, 72, 73, 125, 135, 136, 144

Emydoidea: 17, 18, 27, 34, 37, 44, 53, 78, 81, 108, 109, 110, 113, 114, 137

Terrapene: 37, 44, 48, 55

Chrysemys: 13, 17, 25, 27, 37, 50, 53, 60, 81, 85, 86, 100, 109, 110, 114, 121, 125, 127, 129, 134, 137, 138, 139, 142

Graptemys: 37, 53, 81

Trionyx (Apalone): 19, 31, 37, 50, 51, 81

Lizards

Ophisaurus: 37, 66

Cnemidophorus: 37, 53

Eumeces: 28, 37, 66, 112, 122, 125, 134

Snakes

Carphophis: 37, 126,

Diadophis: 3, 7, 37, 85, 102, 126,

Heterodon: 7, 11, 37, 53, 77, 102, 125, 126,

Opheodrys: 3, 7, 21, 28, 37, 102, 111, 126, 134

Coluber: 7, 37, 102, 125, 126

Elaphe: 3, 7, 24, 27, 30, 37, 53, 85, 86, 98, 101, 111, 119, 126, 127, 142

Pituophis: 7, 37, 102, 123, 126,

Lampropeltis: 3, 7, 17, 27, 37, 96, 102, 125, 126, 142

Thamnophis: 3, 7, 13, 17, 18, 19, 27, 28, 37, 38, 39, 40, 41, 42, 43, 44, 45, 57, 82, 85, 86, 111, 114, 120, 125, 126, 127, 134, 142

Storeria: 3, 7, 13, 17, 27, 28, 37, 85, 86, 102, 111, 126, 131, 133, 134, 142

Regina: 3, 7, 18, 37, 44, 82, 102, 126,

Nerodia: 3, 7, 13, 37, 52, 53, 82, 85, 86, 102, 125, 126, 134, 142

Sistrurus: 2, 3, 7, 15, 18, 37, 44, 61, 62, 74, 75, 102, 126,

Crotalus: 2, 7, 15, 37, 44, 61, 62, 71, 96, 97, 102, 125, 126,

Subject Index

This index provides cross-reference to bibliographical entries based on topics covered in the works. It is by no means intended to be an all inclusive directory, but rather an aid in accessing the literature.

- Anuran Calls: 29, 54, 70, 79, 95, 99, 103, 124,
Behavior: 9, 21, 38, 41, 42, 65, 72, 73, 104, 125, 133
Coloration: 6, 14, 37, 65, 117, 123
Conservation: 1, 2, 3, 7, 8, 15, 20, 37, 44, 53, 76, 79, 81, 92, 93, 94, 95,
108, 118, 125, 127, 137
Defenses: 38, 133
Ecology: 10, 13, 48, 68, 83, 84, 100, 110, 112, 117, 118, 135, 138, 141, 143
Food and Feeding Habits: 32, 72, 73, 75, 81, 89
Habitat: 2, 8, 10, 13, 27, 42, 45, 48, 53, 80, 84, 85, 97, 113, 117, 118,
135, 141, 142, 143
Life History: 3, 7, 10, 37, 48, 113, 135, 138, 141, 142
Mortality & Predation: 48, 53, 56, 57, 58, 64, 89, 101, 104, 109, 111, 112,
134, 135, 140
Reproduction: 9, 37, 48, 74, 80, 110, 112, 113, 115, 117, 118, 123, 137, 138,
141, 143
Reviews, Bibliographies, Etc.: 16, 20, 44, 47, 59, 95, 121, 137
Sexual Dimorphism: 37, 83
Taxonomy & Systematics: 6, 37, 82, 88, 91, 103, 115, 123
Thermal Biol. & Hibernation: 10, 38, 39, 40, 42, 43, 48, 53, 55, 67, 68, 69,
97, 113, 135

Geographic Index

This index provides a cross-reference to bibliographic entries by Wisconsin county.

- Adams: 71, 109, 110, 140
- Ashland: 80, 141
- Bayfield: 80, 141
- Brown: 31, 33, 79, 90, 106
- Buffalo: 34, 96, 97, 123
- Calumet: 118, 119, 120
- Chippewa: 99
- Columbia: 35, 56, 123
- Crawford: 123
- Dane: 13, 27, 29, 34, 48, 56,
99, 100, 114, 117, 118
- Door: 85, 86, 87, 123, 129,
130, 133, 139, 142,
- Douglas: 80, 141
- Florence: 22, 23, 25, 26
- Forest: 80, 91, 141
- Grant: 34, 123
- Iron: 80, 141
- Jackson: 34
- Jefferson: 123
- Juneau: 123
- Kenosha: 17
- Kewaunee: 128, 132
- LaCrosse: 96
- Langlade: 70, 143
- Manitowoc: 30, 36, 129
- Marinette: 21, 24, 28
- Marquette: 11
- Milwaukee: 3, 17, 50, 51, 52,
60, 123, 124
- Monroe: 135, 136
- Oconto: 34, 143
- Outagamie: 24, 98, 123
- Ozaukee: 17
- Pepin: 61, 97
- Pierce: 61, 96, 97
- Portage: 38, 39, 61, 140
- Racine: 54, 66
- St. Croix: 96, 97
- Sauk: 56, 123
- Sawyer: 32
- Shawano: 34, 78
- Sheboygan: 17
- Trempealeau: 61, 96, 97
- Vernon: 71, 115, 123
- Villas: 9, 10, 32, 73, 80, 104,
141
- Walworth: 17
- Waukesha: 14, 49, 91, 105
- Waupaca: 34, 77, 135, 136
- Waushara: 131
- Winnebago: 6, 12
- Wood: 71